PHYSIOLOGICAL SIGNIFICANCE OF SALIVA: COMPOSITION AND ROLE IN THE INITIAL STAGES OF DIGESTION

Gavharoy Abdumutalipovna Aliyeva
Department of Physiology and Pharmacology,
CAMU International Medical University, Uzbekistan

Madinakhon Nodirbek qizi Tursunaliyeva
Second-Year Medical Student,
CAMU International Medical University,
Uzbekistan
https://doi.org/10.5281/zenodo.20491892

Abstract: Saliva is a vital biological fluid that plays an essential role in maintaining oral health and facilitating digestion. Produced by the salivary glands, saliva contains water, electrolytes, mucus, antimicrobial agents, and digestive enzymes. This article examines the physiological importance of saliva, with particular emphasis on its composition, its role in moistening and softening food, and its contribution to the early stages of digestion. Understanding the multifunctional nature of saliva is crucial for appreciating its significance in both oral and systemic health.

Keywords: Saliva; Salivary Amylase; Digestion; Oral Physiology; Food Bolus; Salivary Glands; Lingual Lipase; Digestive Enzymes.

Introduction. Saliva, or oral secretion, is a complex fluid secreted primarily by the three major pairs of salivary glands: parotid, submandibular, and sublingual glands. In addition, numerous minor salivary glands distributed throughout the oral cavity contribute to basal secretion. An average adult produces approximately 1–1.5 liters of saliva daily, highlighting its continuous and vital role in oral physiology. Despite its often-overlooked nature, saliva performs multiple essential functions, ranging from mechanical lubrication and chemical digestion to antimicrobial defense and maintenance of oral homeostasis.

From a physiological perspective, saliva is the first biological fluid to interact with ingested food, providing the medium necessary for mastication and taste perception. Its water content ensures that food particles are moistened, while glycoproteins called mucins provide lubrication that protects oral mucosa and facilitates swallowing. In addition to these mechanical functions, saliva contains a variety of electrolytes, enzymes, and antimicrobial agents that collectively contribute to oral and systemic health.

Enzymatic components of saliva, such as salivary amylase and lingual lipase, initiate the chemical breakdown of macronutrients. Salivary amylase catalyzes the hydrolysis of starch into maltose and dextrins, representing the first step in carbohydrate digestion. Lingual lipase, although less active in the oral cavity, begins lipid hydrolysis, particularly relevant in neonatal digestion. These enzymatic processes highlight the integral role of saliva not merely as a lubricating fluid but as an active participant in the early stages of digestion.

Clinically, alterations in salivary secretion can lead to significant complications. Conditions such as xerostomia, caused by medications, autoimmune diseases, or radiotherapy, can result in difficulties with mastication, swallowing, taste perception, and oral defense, ultimately impacting nutritional intake and quality of life. Consequently, understanding the composition and physiological functions of saliva is not only fundamental for oral biology but also crucial for clinical interventions aimed at maintaining digestive efficiency and oral health.

The present review aims to comprehensively examine the physiological significance of saliva, focusing on its composition, its role in moistening and softening food, and its contribution to the initial stages of digestion. By integrating anatomical, biochemical, and clinical perspectives, this article underscores saliva's multifaceted role as an essential fluid in human physiology.

Methods

A narrative literature review was conducted using information from standard physiology and biochemistry textbooks, as well as peer-reviewed scientific articles related to salivary gland function and digestive physiology. Relevant data concerning salivary composition, enzymatic activity, and digestive functions were collected, analyzed, and synthesized.

Results

Composition of Saliva

The analysis of available physiological and biochemical data demonstrates that saliva is a highly specialized biological fluid composed of approximately 99% water and 1% dissolved organic and inorganic substances. Despite the relatively small proportion of solid components, these substances are responsible for the majority of saliva's physiological functions. Water serves as the primary medium for dissolving food particles, facilitating taste perception, and maintaining hydration of oral tissues. The aqueous nature of saliva enables efficient interaction between ingested food and digestive enzymes, thereby supporting the initial stages of nutrient breakdown.

In addition to water, saliva contains a variety of electrolytes, including sodium, potassium, calcium, chloride, bicarbonate, and phosphate ions. These electrolytes play a critical role in maintaining the pH balance of the oral cavity and contribute to the buffering capacity of saliva. Bicarbonate and phosphate ions help neutralize acids produced by oral microorganisms, thereby protecting dental enamel from demineralization and reducing the risk of dental caries. Calcium and phosphate ions are particularly important for the remineralization of teeth and the preservation of dental integrity.

Another major component of saliva is mucin, a glycoprotein that provides viscosity and lubrication. Mucins form a protective coating over the oral mucosa, reducing friction during mastication and swallowing. This protective layer also helps prevent mechanical injury to soft tissues and contributes to maintaining moisture within the oral cavity. Furthermore, saliva contains several antimicrobial substances, including lysozyme, lactoferrin, peroxidases, and secretory immunoglobulin A (IgA). These molecules constitute an essential component of the oral immune defense system by inhibiting bacterial growth, neutralizing pathogens, and preventing microbial colonization of oral surfaces.

The digestive function of saliva is largely attributed to the presence of specific enzymes. Salivary amylase, also known as ptyalin, is one of the most abundant enzymes in saliva and is responsible for initiating carbohydrate digestion. It hydrolyzes complex starch molecules into smaller polysaccharides, maltose, and dextrins, thereby beginning the process of carbohydrate breakdown before food enters the stomach. Another important enzyme, lingual lipase, contributes to the digestion of dietary lipids. Although its activity in the oral cavity is relatively limited, the enzyme remains active in the acidic environment of the stomach, where it continues the hydrolysis of triglycerides. Together, these components demonstrate that saliva is a multifunctional secretion that supports digestion, oral protection, and physiological homeostasis.

Role in Moistening and Softening Food. The results indicate that one of the most important physiological functions of saliva is its ability to moisten and soften ingested food. During mastication, saliva mixes with food particles, increasing their water content and transforming them into a cohesive, lubricated mass known as the food bolus. This process is essential for efficient swallowing, as dry or poorly lubricated food can cause discomfort and increase the risk of injury to the oral and pharyngeal mucosa.

Mucins and water act synergistically to reduce friction between food particles and oral tissues. The lubricating properties of saliva facilitate smooth movement of the bolus through the oral cavity and esophagus. In addition to promoting swallowing, adequate salivary secretion improves speech articulation and maintains overall oral comfort. The presence of saliva also enhances taste perception by dissolving flavor compounds and enabling their interaction with taste receptors located on the tongue.

Individuals with reduced salivary secretion frequently experience difficulties in chewing and swallowing food, emphasizing the importance of saliva in normal feeding behavior. Clinical observations reveal that insufficient saliva production can lead to dry mouth, impaired food processing, and increased susceptibility to oral tissue irritation. These findings confirm that saliva is indispensable for the mechanical preparation of food prior to digestion.

Role in Initial Digestion. The findings further demonstrate that saliva plays a fundamental role in initiating the digestive process before food reaches the stomach. Digestion begins in the oral cavity, where salivary amylase comes into direct contact with dietary carbohydrates. This enzyme catalyzes the hydrolysis of starch molecules, producing smaller carbohydrate fragments such as maltose and dextrins. As a result, a significant portion of carbohydrate digestion is initiated during mastication and continues for a short period after swallowing.

Although the acidic environment of the stomach eventually inactivates salivary amylase, the enzyme remains active within the interior of the food bolus until gastric acid penetrates the mass completely. Consequently, carbohydrate digestion may continue for several minutes after food enters the stomach. This early enzymatic activity reduces the digestive workload of the small intestine and enhances the efficiency of nutrient utilization.

Saliva also contributes to lipid digestion through the action of lingual lipase. While its activity is less prominent than that of salivary amylase, lingual lipase becomes particularly important in infants, whose digestive systems rely heavily on milk fat as an energy source. The enzyme remains active under acidic gastric conditions and assists in the breakdown of triglycerides into smaller lipid molecules that can be further digested and absorbed.

Overall, the results confirm that saliva is not merely a lubricating secretion but an active participant in digestive physiology. Through its enzymatic components, saliva initiates the breakdown of carbohydrates and lipids, facilitating subsequent digestive processes and contributing to the efficient absorption of nutrients.

Discussion. The findings demonstrate that saliva is far more than a simple lubricating fluid. Its complex composition allows it to perform protective, digestive, and regulatory functions. Salivary enzymes, particularly amylase, represent the first step in the enzymatic breakdown of nutrients. Furthermore, the ability of saliva to moisten and soften food is essential for efficient mastication and swallowing. Deficiencies in salivary secretion, as observed in conditions such as xerostomia, may lead to impaired digestion, difficulties in swallowing, increased susceptibility to oral infections, and reduced quality of life.

The antimicrobial components of saliva further contribute to oral health by controlling microbial populations and protecting mucosal surfaces. Therefore, adequate salivary production is indispensable for maintaining both oral and digestive system function.

Conclusion. Saliva plays a critical physiological role in the human body. Its composition includes water, electrolytes, mucins, antimicrobial factors, and digestive enzymes such as amylase and lingual lipase. Saliva facilitates food intake by moistening and softening food, enabling bolus formation and swallowing. Additionally, it initiates the digestion of carbohydrates and contributes to lipid digestion. These functions collectively highlight the importance of saliva in maintaining oral health and supporting the digestive process.

References

1. Guyton A.C., Hall J.E. Textbook of Medical Physiology. 14th ed. Philadelphia: Elsevier; 2021. 1152 p.
2. Barrett K.E., Barman S.M., Brooks H.L., Yuan J.X.J. Ganong's Review of Medical Physiology. 27th ed. New York: McGraw-Hill Education; 2023. 768 p.
3. Boron W.F., Boulpaep E.L. Medical Physiology. 4th ed. Philadelphia: Elsevier; 2022. 1336 p.
4. Tortora G.J., Derrickson B.H. Principles of Anatomy and Physiology. 16th ed. Hoboken: John Wiley & Sons; 2021. 1280 p.
5. Sherwood L. Human Physiology: From Cells to Systems. 10th ed. Boston: Cengage Learning; 2020. 944 p.
6. Costanzo L.S. Physiology. 7th ed. Philadelphia: Elsevier; 2023. 560 p.
7. Widmaier E.P., Raff H., Strang K.T. Vander's Human Physiology: The Mechanisms of Body Function. 16th ed. New York: McGraw-Hill; 2024. 800 p.
8. Aliyeva G.A. Comparative analysis of anthropometric and morphophysiological indicators in preschool children under the influence of regional factors. Acta CAMU. Fergana. 2025;(Issue __):309.
9. Aliyeva G.A. Comparative analysis of morphophysiological indicators of 5–6-year-old children attending preschool educational institutions in the Quva and Fergana regions. Aral Sea Region Medical Journal. Tashkent. 2026;(Issue __):6–13.
10. Dawes C., Pedersen A.M.L., Villa A., Ekström J., Proctor G.B., Vissink A., et al. The functions of human saliva: A review sponsored by the World Workshop on Oral Medicine VI. Archives of Oral Biology. 2015;60(6):863–874.
11. Amerongen A.V.N., Veerman E.C.I. Saliva—The defender of the oral cavity. Oral Diseases. 2002;8(1):12–22.
12. Edgar W.M. Saliva: Its secretion, composition and functions. British Dental Journal. 1992;172(8):305–312.
13. Pedersen A.M.L., Sørensen C.E., Proctor G.B., Carpenter G.H., Ekström J. Salivary functions in mastication, taste and textural perception. Journal of Oral Rehabilitation. 2018;45(9):730–739.
14. Proctor G.B., Carpenter G.H. Salivary secretion: Mechanism and neural regulation. Monographs in Oral Science. 2014;24:14–29.
15. Carpenter G.H. The secretion, components, and properties of saliva. Annual Review of Food Science and Technology. 2013;4:267–276.
16. de Almeida P.D.V., Grégio A.M.T., Machado M.A.N., de Lima A.A.S., Azevedo L.R. Saliva composition and functions: A comprehensive review. Journal of Contemporary Dental Practice. 2008;9(3):72–80.
17. Mandel I.D. The functions of saliva. Journal of Dental Research. 1987;66(Spec Iss):623–627.
18. Llena-Puy C. The role of saliva in maintaining oral health and as an aid to diagnosis. Medicina Oral Patología Oral y Cirugía Bucal. 2006;11:E449–E455.

19. Nieuw Amerongen A.V., Bolscher J.G.M., Veerman E.C.I. Salivary proteins: Protective and diagnostic value in cariology. Caries Research. 2004;38(3):247–253.
20. Humphrey S.P. Salivary glands and saliva: Function and disorders. Dental Clinics of North America. 2011;55(1):1–17.
21. Turner M.D., Ship J.A. Dry mouth and its effects on oral health. Journal of the American Dental Association. 2007;138(Suppl):15S–20S.
22. Vissink A., Mitchell J.B., Baum B.J., Limesand K.H., Jensen S.B., Fox P.C., et al. Clinical management of salivary gland hypofunction and xerostomia. Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology. 2010;110(4):455–467.
23. Ekström J., Khosravani N. Salivary gland physiology and secretion. Frontiers of Oral Biology. 2020;28:1–15.
24. Noble R.E. Salivary gland physiology and oral health. Journal of Clinical Dentistry. 2019;30(2):45–52.
25. Holmberg K.V., Hoffman M.P. Anatomy, biogenesis and regeneration of salivary glands. Monographs in Oral Science. 2014;24:1–13.